la:



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

APPLICATION NO. **FILING DATE** FIRST NAMED INVENTOR ATTORNEY DOCKET NO S RA998-007 ALLISON 09/067,599 04/28/98 **EXAMINER** TM02/1022 CHANNAVAJJALA, S JOSCELYN G COCKBURN IBM CORPORATION 972/B656 **ART UNIT** PAPER NUMBER P 0 BOX 12195 2177 RESEARCH TRIANGLE PARK NC 27709 DATE MAILED: 10/22/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

PTO-90C (Rev.11/00)

		Application No.	A	
Office Action Summary		Application No.	Applicant(s)	
		09/067,599	ALLISON ET AL.	
	Office Action Summary	Examiner	Art Unit	
	The MAILING DATE of this communication com-	Srirama Channavajjala	2177	
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply				
THE M - Exten after S - If the - If NO - Failur - Any re	DRTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. sions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period with the total reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be within the statutory minimum of thirty (30) oil apply and will expire SIX (6) MONTHS frocause the application to become ABANDO	timely filed lays will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).	
1)⊠	Responsive to communication(s) filed on 13 A	<u>ugust 2001</u> .		
2a)⊠	This action is FINAL. 2b) This	s action is non-final.		
3) 🗌	Since this application is in condition for alloware closed in accordance with the practice under E			
Dispositi	on of Claims			
4)⊠	Claim(s) 15-38 is/are pending in the application	٦.		
4	4a) Of the above claim(s) is/are withdraw	n from consideration.		
5) Claim(s) is/are allowed.				
6)⊠ Claim(s) <u>15-38</u> is/are rejected.				
7) 🗌	7) Claim(s) is/are objected to.			
8)□	Claim(s) are subject to restriction and/or	election requirement.		
Application	on Papers			
9)☐ The specification is objected to by the Examiner.				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).				
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.				
If approved, corrected drawings are required in reply to this Office action. 12) The oath or declaration is objected to by the Examiner.				
,—	•	miner.		
Priority under 35 U.S.C. §§ 119 and 120				
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).				
•	☐ All b)☐ Some * c)☐ None of:	have been received		
	 Certified copies of the priority documents 		ation No	
	2. Certified copies of the priority documents3. Copies of the certified copies of the priori			
	application from the International Burdee the attached detailed Office action for a list of	eau (PCT Rule 17.2(a)).	•	
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).				
 a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. 				
Attachment	(s)			
2) Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informa	ary (PTO-413) Paper No(s) at Patent Application (PTO-152)	
S Datent and Tre	11.0rr.			

U.S. Patent and Trademark Office

Antine Comment

12_

Art Unit: 2177

DETAILED ACTION

Response to Amendment

- Examiner acknowledge Applicant's Response filed on august 13, 2001,
 paper no. # 12
- 2. Claims 1-38 are remain pending in this application, paper no. # 12.
- 3. Claims 37-38 have been added, paper no. # 12.
- 4. The request filed on February 05, 2001 for a Continued Prosecution Application (CPA) under 37 CFR 1.53(d) based on Application No. 09/067,599 is acceptable and a CPA has been established, paper no. # 8.
- Examiner acknowledges applicant's Preliminary Amendment, paper no. # 9,
 filed on February 05, 2001.
- 6. Claims 1-14 have been canceled, paper no. # 9.
- Examiner acknowledges receipt of Applicant's Amendment filed on August 10,
 2000, paper no. # 5.
- 8. Claims 1, 8-9, 12-14 have been amended, paper no. # 5.

Drawings

9. The Drawing filed on 4/28/98 are not objected to by the Draftsperson under 37CFR 1.84 or 1.152, [see PTO-948, paper no.# 3].

Information Disclosure Statement

10. The information disclosure statement filed on 4/28/1998, paper no. # 2 has been considered and a copy was enclosed. [see paper no. # 3].

Art Unit: 2177

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.
- 11. Claims 15-16, 19-20, 33 and 36 are rejected under 35 U.S.C. 102(e) as being anticipated by Dosiere et al., [hereafter Dosiere], US Patent No. 577800.
- 12. As to Claims 15,19, and 33, Dosiere details a system which including 'a first memory in which a set of patterns are stored' [col 2, line 4-5, col 4, line 47-48, col 5, line 20-22, col 10, line 22-23], examiner notes that Dosiere uses first m-bit set are in the first memory, fig 3a represents part of the first memory, see col 7, line 38-39, 'a second memory' [col 2, line 7-9, col 5, line 20-22], Dosiere specifically details first memory and second memory, containing m-bit set forms n-bit pattern bits, 'identifying patterns in the first memory to be matched against the data' [col 1, line 62-67, col 4, line 56-64], Dosiere's teachings including bit-by-bit comparison, examiner interpreting matching data to be equivalent to Dosiere's including bit-by-bit comparison, 'mask data' [col 2, line 46-60]; 'pattern match logic circuit arrangement correlating marked patterns in said first memory against the data' [col 5, line 20-37].

Art Unit: 2177

[col 4, line 54-61].

13. As to Claims 16 and 20, Dosiere details a system which including 'marked patterns are fewer than the total number of patterns in said first memory'

Page 4

- 14. As to Claim 36, Dosiere details a system which including 'pointers include mask bits' [col 6, line 27-29, line 49-52, see fig 2a-2b, 3a-3b].
- 15. Claims 33-34 are rejected under 35 U.S.C. 102(e) as being anticipated by Williams et al., [hereafter Williams], US Patent No. 5938771.
- 16. As to Claims 33-34, Williams details a system which including 'pattern matching or providing a set of patterns' [fig 2, element 60, col 4, line 50-53], examiner interpreting pattern matching or providing a set of patterns are to be equivalent to Williams fig 2, element 60 because it associated with Pattern Match signal from the pattern match logic, element 60, see col 4, line 56-57; 'network to wake station connected to the communications network' [see col 3, line 27-35, see fig 1], 'network interface cared' [fig 1B, element 10], 'providing data to be matched with selected patterns' [col 4, line 56-62], 'providing pointers for identifying the selected patterns' [col 5, line 31-42, line 43-50], examiner interpreting pointers are inherent aspect of Williams because firstly Williams teachings including read/write operations depended on the bit status from the register 76a, secondly, Magic Packet logic element 62 has the ability to scan incoming frames with specific addresses as detailed in col 5, line 43-45, thirdly, pointer(s) is a variable that simply contains the memory location or memory address of some data

Art Unit: 2177

rather than the data itself, and address is specifying a location in the memory where data is stored is well known in the art; 'correlating the data with the selected patterns' [col 6, line 4-13], 'generating a match signal if the data and the selected patterns match' [col 6, line 25-44]

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 2177

- 17. Claims 17- 18, 21-32, 37-38 rejected under 35 U.S.C. 103(a) as being unpatentable over Dosiere et al., [hereafter Dosiere], US Patent No. 5778000 as applied to claim15, 19 above, and further in view of Jeng, US Patent No. 5892768.
- 18. As too Claim 21, Dosiere details a system which including 'a first memory in which a set of patterns are stored' [col 2, line 4-5, col 4, line 47-48, col 5, line 20-22, col 10, line 22-23], examiner notes that Dosiere uses first m-bit set are in the first memory, fig 3a represents part of the first memory, see col 7, line 38-39, 'a second memory' [col 2, line 7-9, col 5, line 20-22], Dosiere specifically details first memory and second memory, containing m-bit set forms n-bit pattern bits, 'identifying patterns in the first memory to be matched against the data' [col 1, line 62-67, col 4, line 56-64], Dosiere's teachings including bit-by-bit comparison, examiner interpreting matching data to be equivalent to Dosiere's including bit-by-bit comparison, 'mask data' [col 2, line 46-60]; 'pattern match logic circuit arrangement correlating marked patterns in said first memory against the data' [col 5, line 20-37]. Dosiere does not specifically detail 'network interface circuit'. Jeng details a system which including 'network interface circuit' [fig 2, col 1, line 13-17, col 3, line 55-67].

It would have been obvious one of the ordinary skill in the art at the time of the applicant invention to combine the concepts taught by Jeng with the system of Dosiere because receiving data from a network allows access to much more information than access in local memory of Dosiere [see Dosiere, col 7, line 38-39 a second memory col 2, line 7-9, col 5, line 20-22] and thus improving the communication of computer data in a network more specifically store and forward [col 1, line 45-49].

Page 7

Application/Control Number: 09/067,599

Art Unit: 2177

19. As to Claims 17 and 22 Dosiere does not specifically teach 'data is received from a network', although Dosiere teaches data manipulation between first and second memory [see col 5, line 21-23]. Jeng details a system which including 'data is received from a network' [col 2, line 13-17, col 2, line 41-44], more specifically, Jeng teaches Ethernet media independent interface, see fig 2.

It would have been obvious one of the ordinary skill in the art at the time of the applicant invention to combine the concepts taught by Jeng with the system of Dosiere because receiving data from a network allows access to much more information than access in local memory of Dosiere [see Dosiere, col 7, line 38-39 a second memory col 2, line 7-9, col 5, line 20-22] and thus improving the communication of computer data in a network more specifically store and forward [col 1, line 45-49].

20. As to Claim 18 and 29, Jeng teaches a system which including 'first state machine for assembling data received from a network into predetermined sizes' [col 2, line 41-46], examiner interpreting predetermined sizes to be equivalent to Jeng's 4-bit data packets converted into 8-bit data packets [see fig 5B]; Dosiere teaches 'identifying beginnings and endings of data frames' [col 5, line 56-59], 'a second state machine operatively coupled to the first state machine' [col 1, line 45-47], 'second state machine including circuit that receives the predetermined sizes from the first state machine' [col 2, line 11-25], although generating addresses for accessing the first and second memory are inherent aspect of Jeng's teachings because Jeng specifically, teaches for example buffer memory, see fig 2, elements 50, and 52, more specifically,

Art Unit: 2177

Dosiere teaches addresses for accessing data, see fig 3a, col 7, line 38-47; 'pattern and mask data are to be read and used with the predetermined sizes in generating the first control signal' [see fig 4, col 8, line 39-67, col 9, line 1-7]

- 21. As to Claim 23, Jeng details for example local area network or LANs, WANs using Ethernet network [see col 1, line 6-9], therefore, examiner notes that host computer coupled to the system interface is inherent aspect of Jeng's teaching; although Jeng teaches for example frames having data packets essentially comprising multiple bit packets [see col 2, line 44-59], more specifically, Dosiere teaches patterns and mask data [see fig 1, col 2, line 61-67, col 3, line 1-27, col 4, line 26-29].
- 22. As to Claim 24, Jeng teaches 'network interface' [fig 2], Jeng teaches for example destination address and source address [see col 1, line 50-67], also Jeng teaches for example each packet of data associated with signal bit [see col 2, line 51-57], therefore, Jeng teaches the limitation of claim 24.
- 23. As to Claim 26, Jeng details 'patterns are arranged contiguously in the pattern storage' [see fig 2, elements 50 and 52].
- 24. As to Claim 27-28, Dosiere teaches patterns and mask data [see fig 1, col 2, line 61-67, col 3, line 1-27, col 4, line 26-29], specifically, m-bit set forms part of n-bit pattern [see col 2, line 55-50, col 5, line 43-48, line 65-67], Jeng teaches 'network interface' [fig 2].

Art Unit: 2177

- 25. As to Claims 31-32, Jeng details a system which including 'PCI interface' and 'Ethernet MII interface' [fig 2-3, fig 7, col 6, line 13-27].
- 26. As to Claim 36, Dosiere teaches patterns and mask data [see fig 1, col 2, line 61-67, col 3, line 1-27, col 4, line 26-29], specifically, m-bit set forms part of n-bit pattern [see col 2, line 55-50, col 5, line 43-48, line 65-67], examiner notes that Dosiere suggests extracting a first set of "m" bits from the bit stream [see col 1, line 43-45], also suggests extracting second set of bits [see col 1, line 488-51], in general, Dosiere teaches m-bit set form part of the n-bit pattern [see col 4, line 56-58], therefore, n-bit pattern would have include eight patterns.
- 27. As to Claim 37, Dosiere teaches '32-bit with groups of 4 mask bits identifying one of the eight patterns' [col 6, line 42-48].
- 28. As to Claim 25, Jeng does not teach 'each pattern in the set of patterns are arranged in 4 byte wide words and 128 byte sectors', however, Jeng suggested using for example 4 byte cyclical redundancy code or CRC and 64-1500 byte data field [see col 1, line 53-56]

It would have been obvious of the ordinary skill in the art at the time of applicant invention to arranging various different byte size words and byte sectors because it not only provides flexibility, but also, saves memory space, thus improving the responsiveness of the system.

Art Unit: 2177

Page 10

29. As to Claim 30, Jeng does not detail 'address generation circuit uses the expression YYYxxxxx to determine the addresses for the pattern RAM, wherein xxxxx represents an index count and YYY represents states for a state machine.', although Jeng suggested for example using a 10-Base Ethernet system for transmitting data packets from source addresses to the destination address [see col 1, line 17-19]

It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to assign one bit or multiple bits 'Y' for state machine, multiple bits 'x' for index count because predetermined address of one bit or multiple bits saves memory space, improving the pattern matching and responsiveness of the system.

067,599 Page 11

Application/Control Number: 09/067,599

Art Unit: 2177

Response to Arguments

- 29. Applicant's arguments filed on August 13, 2001, paper no. # 12, with respect to Claims 1-38 have been fully considered but they are not deemed to be persuasive. For the Examiner's response to the Applicant's arguments, see the discussion below:
- 30. In the Remarks applicant argues the following: a) In page 2, line 16-17, Dosiere is that there is indeed only one memory in Dosiere whereas applicants' claim calls for two memories; b) In page 3, line 1-2, Dosiere's mask value does not indicate the pattern which is to be compared with data from the data steam; c) In page 3, line 18-19, reference does not show, among other things a and c (claim 33) and a and b (claim 34); d) In page 3, line 23-24, Williams et al. reference does not even suggest the method of pattern matching....; e) In page 4, line 17-19, it teaches away in that it calls for a single memory whereas applicant's invention calls for at least two memories.......; f) In page 5, line 4-6, according to the teaching in Dosiere, the memory requirements go up exponentially with.........
- 31. As to the argument (a and e) Examiner disagree with the applicant because Dosiere does have more than one memory for example Dosiere specifically teaches first memory includes a first pointer to a second memory location being a first entry of a linked list, further second memory location including information about n-m bits of the n-bit pattern [see col 2, line 5-10].

Art Unit: 2177

32.

Dosiere's teachings including head mask pattern indicating bit position [see col 2, line

As to the argument b) Examiner disagree with the applicant because firstly.

41-43], secondly, particular Dosiere also teaches for example indicated bit postion is

followed by the bit-value [see col 2, line 44-47]. Dosiere further suggests head mask

pattern indicating which bit position to be verified in m-bit set, first set of the bit-values

being a tail match pattern [see col 2, line 47-55], Dosiere's teachings including n-bit for

which a bit-by-bit comparison of first m-bit set with consecutive bits contained with the

n-bit pattern, see col 1, line 62-67, col 2, line 1-4.

33. As to the argument c) examiner refers Claim rejection 33 and 34 as above

stated.

34. As to the argument d) examiner disagree with the applicant because Williams

teaches for example pattern match logic, fig 2, element 60 also known as PMAT.

35. As to the argument f) applicant has not specifically pointed out where Dosiere's

teaching including memory requirements go up exponentially with the window size and

pattern word size, further examiner notes that Dosiere improving the drawbacks such as

multiple synchronization words, detecting n-bit pattern and characteristics in the

bitstream [see col 1-2].

Page 12

Art Unit: 2177

Conclusion

The prior art made of record

US Patent No. 5778000 a.

US Patent No. b. 5892768

C. US Patent No. 5938771

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2177

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Srirama Channavajjala whose telephone number is (703)308-8538. The examiner can normally be reached on Monday-Friday from 8:00 AM to 5:30 PM Eastern Time. The TC2100's Customer Service number is (703)306-5631.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John E. Breene, can be reached on (703)305-9790. The fax phone numbers for the organization where the application or proceeding is assigned are as follows:

703/746-7238	(After Final Communication)
703/746-7239	(Offical Communications)
703/746-7240	(For Status inquiries, draft communication)
(703)308-6607	(Art Unit)

Any inquiry of general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703)305-9600.

Srirama Channavajjala Patent Examiner. September 28, 2001.

JOHN BREENE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2700